

The background of the cover is a close-up photograph of pink fiberglass insulation batts installed in a wooden stud wall. The insulation is a vibrant pink color with a fibrous, mottled texture. The wooden studs are light-colored and run vertically and horizontally, creating a grid pattern. The text is overlaid on the top portion of the image.

Pink[®] Batts[®]

Thermal Solutions

Product Guide

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
ROOF – CEILING THERMAL INSULATION								
R1.8 Pink® Batts® Classic	7110118	1220 x 432	95	13.7	14.4	✓	✓	238
R2.2 Pink® Batts® Classic	7110122	1220 x 432	115	12.6	13.3	✓	✓	238
R2.6 Pink® Batts® Classic	7110126	1220 x 432	140	10.5	11.1	✓	✓	238
R2.6 Pink® Batts® R2.6C 110mm†	7160266	1220 x 432	110	9.5	10	✓	✓	238
R3.0 Pink® Batts® R3.0C 160mm†	7160265	1220 x 432	160	8.4	8.9	✓	✓	238
R3.2 Pink® Batts® Classic	7110132	1220 x 432	170	8.4	8.8	✓	✓	238
R3.6 Pink® Batts® Classic	7110136	1220 x 432	180	7.4	7.7	✓	✓	238
R4.0 Pink® Batts® Ultra®	7110140	1220 x 432	195	6.3	6.6	✓	✓	238
R4.5 Pink® Superbatts®	7113145	1220 x 460	210	5.6	5.5	✓	✓	238
R5.0 Pink® Superbatts®	7113150	1220 x 460	225	4.5	4.4	✓	✓	238
R6.0 Pink® Superbatts®	7113160	1220 x 460	245	3.9	3.8	✓	✓	238
R7.0 Pink® Superbatts®	7113170	1220 x 460	275	3.4	3.3	✓	✓	238
ROOF – SKILLION THERMAL INSULATION								
R1.0 Pink® Superbatts®	7113210	1220 x 580	40 max	17	17.6	✓	✓	767
R3.2 Pink® Batts®	7110232	1220 x 432	115 max	3.7	3.9	✓	✓	767
R3.6 Pink® Batts®	7110236	1220 x 432	165 max	6.3	6.6	✓	✓	767
R4.5 Pink® Batts®	7110245	1220 x 432	165 max	3.2	3.3	✓	✓	767
R5.0 Pink® Superbatts®	7113250	1220 x 560	180 max	4.1	4.4	✓	✓	767
R6.0 Pink® Superbatts®	7113260	1220 x 560	230 max	4.1	4.4	✓	✓	767
R7.4 Pink® Superbatts®	7113274	1220 x 560	275 max	3.4	3.7	✓	✓	767

NOTE: The Pink® Superbatts® range is at least 25mm wider than standard Pink® Batts®.

† For use in a two-layer ceiling solution with a Pink® Superbatts®

* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

** Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
ROOF – BUILDING INSULATION BLANKET (BIB)								
R1.2 Pink® Batts® BIB	7250501	24000 x 1200	50	28.8	N/A	✓	✓	238
R1.8 Pink® Batts® BIB	7270501	20000 x 1200	75	24	N/A	✓	✓	238
R2.4 Pink® Batts® BIB	7290501	16000 x 1200	95	19.2	N/A	✓	✓	238
R2.6 Pink® Batts® BIB	7200501	14000 x 1200	105	16.8	N/A	✓	✓	238
R3.2 Pink® Batts® BIB	7200502	12000 x 1200	125	14.4	N/A	✓	✓	238
R3.6 Pink® Batts® BIB	7200503	10000 x 1200	140	12	N/A	✓	✓	238
ROOF – CEILING THERMAL RETROFIT INSULATION								
R2.9 Pink® Batts®	7110129	1220 x 432	150	9.5	10	✓	✓	238
R3.3 Pink® Batts®	7110133	1220 x 432	175	8.4	8.8	✓	✓	238
ROOF AND WALL - THERMAL								
R2.4 Pink® Batts® HandyPack**	7200158	7000 x 580	90	4.1	N/A			x

* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

** Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
WALL – ACOUSTIC INSULATION								
Pink® Batts® Silencer® 100mm^	7317001	1140 x 560	100	12.8	14.4	-	✓	x
Pink® Batts® Silencer® 75mm^	7317003	1140 x 560	75	16.6	18.8	-	✓	x
WALL – THERMAL INSULATION								
MASONRY								
R1.0 Pink® Batts®	7160110	1220 x 580	40	21.2	-	✓	✓	238
R1.2 Pink® Batts®	7160134	1220 x 580	50	17	-	✓	✓	238
70mm WALL RANGE								
R.2.2 Pink® Batts® Classic	7160248	1140 x 560	70	6.4	7.5	✓	✓	238
90mm WALL RANGE								
R1.8 Pink® Batts® Classic - Wall	7127118	1140 x 560	90	16.6	19.6	✓	✓	238
R2.2 Pink® Batts® Classic - Wall	7127122	1140 x 560	90	13.4	15.8	✓	✓	238
R2.2 Pink® Batts® Steel - Wall	7160214	1220 x 610	90	15.6	15.6	✓	✓	238
R2.2 Pink® Batts® - Narrow Wall	7160243	1140 x 360	90	9	11.2	✓	✓	238
R2.4 Pink® Batts® Classic - Wall	7127124	1140 x 560	90	10.2	12.1	✓	✓	238
R2.6 Pink® Batts® Ultra® - Wall	7127126	1140 x 560	90	9.6	11.3	✓	✓	238
R2.6 Pink® Batts® Ultra® - Wall‡	718226	1140 x 560	90	9.6	11.3			238
R2.6 Pink® Batts® Ultra® Steel - Wall	7160215	1220 x 610	90	9.7	9.7	✓	✓	238
R2.6 Pink® Batts® Ultra® - Narrow Wall	7160244	1140 x 360	90	7.4	9.2	✓	✓	238
R2.8 Pink® Batts® Ultra® - Wall	7127128	1140 x 560	90	6.4	7.5	✓	✓	238
R2.8 Pink® Batts® Ultra® - Wall‡	718228	1140 x 560	90	6.4	7.5			238
R2.8 Pink® Batts® Ultra® - Narrow Wall	7160247	1140 x 360	90	4.5	5.6	✓	✓	238

‡ Manufactured in Canada

* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

** Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty



PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
140mm WALL RANGE								
R3.2 Pink® Batts® Ultra® - Wall	7127132	1140 x 560	140	9.6	11.3	✓	✓	238
R3.2 Pink® Batts® Ultra® - Narrow Wall	7160245	1140 x 360	140	7	8.6	✓	✓	238
R3.6 Pink® Batts® Ultra® - Wall	7127136	1140 x 560	140	7	8.3	✓	✓	238
R4.0 Pink® Batts® Ultra® - Wall	7127140	1140 x 560	140	5.1	6	✓	✓	238
R4.0 Pink® Batts® Ultra® - Narrow Wall	7160246	1140 x 360	140	4.1	5	✓	✓	238
R4.3 Pink® Batts® Ultra® - Wall	7127143	1140 x 560	140	3.2	3.8	✓	✓	238

* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

** Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

PRODUCT GLASS WOOL RANGE	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale* (m ²)	Eco Choice Aotearoa (Environmental Choice)	Environmental Product Declaration	BRANZ Appraisal Number
FLOOR – ACOUSTIC INSULATION								
Pink® Batts® Silencer® Mid Floor^	7310051	1140 x 432	150	4.9	5.2			x
FLOOR – THERMAL INSULATION								
R2.6 Pink® Batts® SnugFloor® Narrow^	7131451	1220 x 480	110	8.8	8.2			632
R2.6 Pink® Batts® SnugFloor® Wide^	7131601	1220 x 580	110	10.6	10.6			632
R3.2 Pink® Batts® SnugFloor® Narrow^	7134832	1220 x 480	140	8.2	7.7			632
R3.2 Pink® Batts® SnugFloor® Wide^	7135832	1220 x 580	140	8.5	8.5			632
PRODUCT POLYESTER RANGE**	Product Code	Size (mm)	Nominal Stabilised Thickness (mm)	Nominal Total Area Per Bale (m ²)	Approx. Coverage Per Bale (m ²)			BRANZ Appraisal Number
FLOOR – THERMAL INSULATION								
R1.5 Pink® Batts® Polyester Underfloor	711897	11110 x 450	100	20	20.4	-	-	x
R1.5 Pink® Batts® Polyester Underfloor	711898	9804 x 510	100	20	20.4	-	-	x
R1.5 Pink® Batts® Polyester Underfloor	711899	11110 x 600	100	20	20.1	-	-	x

* Coverage relates to standard structures (ie with framing allowance) therefore actual coverage may vary.

** Pink® Batts® HandyPack and Polyester products are not GREENGUARD certified, do not have a Lifetime Warranty. Products are not BRANZ appraised.

^ Product does not have Lifetime Warranty

Unless indicated otherwise, all our products carry our Lifetime Warranty, are BRANZ appraised and have the Greenguard certification.

For full details of the Pink® Batts® Lifetime Warranty visit pinkbatts.co.nz/lifetime-warranty.

General

General terms and conditions of sale of Tasman Insulation New Zealand Ltd. T/A Comfortech Building Performance Solutions® apply to these products.

All prices exclude GST.

This price list supersedes all previous price lists.

Comfortech Building Performance Solutions® reserves the right to alter packing and prices at any time without notification.

Notes

Square metre pricings are estimated from bale prices and due to rounding may not be exact.





Comfortech Building Performance Solutions® Certified QMS



pinkbatts.co.nz

0800 746 522

The colour PINK and Pink® are registered trademarks of Owens Corning used under license by Tasman Insulation New Zealand Ltd trading as Comfortech Building Performance Solutions®. Batts®, Superbatts®, SnugFloor® and Ultra® are registered trademarks of Comfortech®. This document supersedes all previous versions and may have been superseded; is a guide only and the purchaser should ascertain the suitability of this product for the end-use situation intended and when used in conjunction with other products; and is provided without prejudice to Comfortech® standard terms of sale. Comfortech® retains the right to change specifications without prior notice. Refer to www.pinkbatts.co.nz or consult Comfortech® for further information. Do not use this product for any application not detailed in this document. All claims about this product are subject to any variation caused by normal manufacturing process and tolerances. The liability of Comfortech® and its employees and agents for any errors or omissions in this document or otherwise in relation to the product is limited to the fullest extent permitted by law. Except where the consumer acquires the goods for the purposes of a business, any rights a consumer may have under the Consumer Guarantees Act are not affected.

9-15 Holloway Place, Penrose, Auckland

July 2023

